

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Product category**
PC14 Metal surface treatment products, including galvanic and electroplating products
- **Process category**
PROC7 Industrial spraying
PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
PROC13 Treatment of articles by dipping and pouring
- **Environmental release category**
ERC4 Industrial use of processing aids in processes and products, not becoming part of articles
- **Article category** AC7 Metal articles
- **Application of the substance / the mixture**
Testing material for nondestructive surface crack detection
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
3AK Chemie Pvt. Ltd.
5/B5/1 - TSIC Automotive Park,
Kallakal, Telangana, INDIA
Dist: Medak
Pin: 502336
Email: qc@3akchemie.com
- **Further information obtainable from:**
3AK Chemie Pvt. Ltd. Safety Data Sheet, qc@3akchemie.com
- **1.4 Emergency telephone number:**
24h- Emergency Contact Phone Number
For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident

Call Day or Night within USA and Canada: 1 800 424 9300
 Outside USA and Canada: 001 703 527 3887
 In-Country Emergency Number for:

Germany:	0800-181-7059	
Australia:	+61 433 289 052	(English)
Hong Kong:	800 968 793	(Cantonese)
India:	000 800 100 7141	(Hindi)
South Africa:	0 800 983 611	(English)

(WISAG FMO Cargo Service GmbH & CO.KG)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
 The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**
 Distillates (petroleum), hydrotreated light
- **Hazard statements**
 H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P331 Do NOT induce vomiting.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P404 Store in a closed container.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
 EUH066 Repeated exposure may cause skin dryness or cracking.
- **2.3 Other hazards** Danger of electrostatic loading.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 90622-58-5 EINECS: 292-460-6	isoparaffinic hydrocarbons	Acute Tox. 3, H331 Asp. Tox. 1, H304 Aquatic Chronic 4, H413	80-100%
--------------------------------------	----------------------------	--	---------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
 Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
 No further relevant information available.
- **Information for doctor:** With aspiration danger of the pulmonary edema and/or pneumonia.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

**Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
Steam is heavier than air and spreads at the soil.
Swims up and can catch fire again.
In case of fire, the following can be released:
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Keep away from ignition sources.
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Open and handle receptacle with care.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Condition of the tanks and stockrooms is to be co-ordinated with the responsible authorities.
Keep receptacles tightly sealed.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Storage class:** 3 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable

(Contd. of page 3)

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

90622-58-5 isoparaffinic hydrocarbons

TRGS 900/001 (GRUPPE 1) (D)	Long-term value: 200 ppm entaromatisierte Kohlenwasserstoffgemische
-----------------------------	--

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Filter A

For good ventilation provide, this can be achieved by local or space exhaust. If the concentration lies over the job limit values, then, a certified respirator suitable for this purpose must be used.

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check the permeability prior to each renewed use of the glove.

For the protection against chemicals in areas with heightened risk of injury (mechanical hazard) no recommendation for a suitable glove material can be given.

· Material of gloves

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.5 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: With danger of the eye contact closing eye protector.

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Colour: Suspension with brown pigments

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 175 °C

· Flash point: 80 °C
Basis: active substance

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable

(Contd. of page 4)

· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	210 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	0,5 Vol %
Upper:	6,5 Vol %
· Vapour pressure at 20 °C:	2 hPa
· Density at 20 °C:	0,81 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Pigments are insoluble in water. Liquid is miscible with water.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	0,0 %
VOC (EU)	<0,1 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Avoid open flame or electrical ignition.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Strong oxidizing agents.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Low, no classification
- **Serious eye damage/irritation** low, no classification.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable

(Contd. of page 5)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**
May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

Distillates (petroleum), hydrotreated light

LC50/96h	2.6 mg/l (Fisch/fish/poissons/peixes) (Ecotoxicological Data, compiled by the US Environm)
----------	--

· **12.2 Persistence and degradability**

Moderately /partly biodegradable
 Halbwertszeit in der Umwelt < 10 Tage

· **12.3 Bioaccumulative potential**

May be accumulated in organism
 The product swims on the water surface and is only minimum water soluble.
 The product is adsorbed by the soil and is not not mobile.

· **12.4 Mobility in soil** No further relevant information available.

· **Other information:** At longer term no harmful effects for water organisms are expected.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Water hazard class 1: weakly water-endangering

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 Eliminate in accordance with local regulations.

· **Waste disposal key:**

For this product no waste key number can be specified, because only the intended purpose permits an allocation. The waste key number is to be specified in arrangement with the regional waste disposal.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

**Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable**

(Contd. of page 6)

- | | |
|--|-----------------|
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | Void |
| · Class | |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | |
| | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 REACH international regime: REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45 / EC and repealing Regulation (EEC) No 793/93 and Regulation (EC) No 1488/94 and Directive 76/769 / EEC and of the Commission 91/155 / EEC directives 93/67 / EEC , 93/105 / EC and 2000/21 / EC
 2. CLP international regime: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548 / EEC and 1999/45 / EC and amending Regulation (EC) No. 1907/2006
 3. REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
 3.a REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
 4. Domestic regulations on hazardous substances: Act XXV / 2000 on chemical safety and its amendments
 Amendments to Regulation No. 44/2000 (XII.27) EüM the Minister of Health on the detailed rules for certain procedures and activities, dangerous substances and dangerous preparations related to
 5. House Regulation on waste: CLXXXV Act 2012 on waste Government Decree No 98/2001 (VI.15.) One of the conditions of the activities related to hazardous wastes and their changes 72/2013 (VIII. 27) VM Decree on Waste Catalogue
 6. Domestic Regulation on Water Pollution: Government Decree No. 220/2004 (VII. 21) and its amendments
 7. House Regulation on Safety and Health: Act XCIII of 1993 on occupational safety, its amendments and relevant Ministry of Labour and the Ministry of National Economy decrees
 8. House regulation on chemical safety of workplaces: Joint Decree No. 25/2000 A. EüM-SzCsM and its amendments
 9. Regulations on aerosol: NGM (Ministry of Economics) Decree No. 34/2014 on the requirements of the distribution of aerosol products and aerosol packaging
- **National regulations:**
- **Waterhazard class:**
 Water hazard class 1: slightly hazardous for water.(In accordance with classification VwVwS,appendix 4)

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2023

Revision: 14.01.2023

**Trade name: MR® 131 Magnetic powder concentrate
fluorescent, 1:100, oil suspendable**

(Contd. of page 7)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The data in this safety data sheet are based on our knowledge at the time of the revision. The information should give you reference points for a safe handling of the product specified in this safety data sheet. The data are not transferable to other products. If the product specified in this safety data sheet is mixed or processed with other materials, the data cannot be transferred without examination.

- **Relevant phrases**

The wording of the listed risk phrases are those of the individual raw materials.

H304 May be fatal if swallowed and enters airways.

H331 Toxic if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

- **Recommended restriction of use**

Existing national and local laws concerning chemicals are to be considered.

- **Department issuing MSDS: 3AK Chemie Pvt. Ltd.**

- **Contact:** 3AK Chemie Pvt. Ltd., Safety data sheets, Email: qc@3akchemie.com

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

- *** Data compared to the previous version altered.**