Printing date **01.08.2023** Revision: **01.08.2023** 

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: MR® 158-R Magnetic powder concentrate fluorescent, 1:50, water suspendable
- Type of packaging bulk
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Testing material for nondestructive surface crack detection

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

3AK Chemie Pvt. Ltd.

5/B5/1 - TSIIC Automotive Park, Kallakal, Telangana, INDIA Dist: Medak Pin: 502336

Email: qc@3akchemie.com

· Further information obtainable from:

3AK Chemie Pvt. Ltd. Safety Data Sheet, qc@3akchemie.com

Emergency telephone number:

24h- Emergency Contact Phone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident

Call Day or Night within USA and Canada: 1 800 424 9300 Outside USA and Canada: 001 703 527 3887

In-Country Emergency Number for:

 Australia:
 +61 433 289 052
 (English)

 Hong Kong:
 800 968 793
 (Cantonese)

 India:
 000 800 100 7141
 (Hindi)

 South Africa:
 0 800 983 611
 (English)

(WISAG FMO Cargo Service GmbH & CO.KG)

### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

GB

Printing date **01.08.2023** Revision: **01.08.2023** 

Trade name: MR® 158-R Magnetic powder concentrate

fluorescent, 1:50, water suspendable

(Contd. of page 1)

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	2,2',2"-nitrilotriethanol	20-30%
	substance with a Community workplace exposure limit	
	Fatty alcohol-C12/14-2 EO-sulfat, Na-salt	2.5-10%
	Xi R36/38	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	

· Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:

Grease with skin-cream to restore fat film in order to prevent skin inflammation.

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date **01.08.2023** Revision: **01.08.2023** 

Trade name: MR® 158-R Magnetic powder concentrate

fluorescent, 1:50, water suspendable

(Contd. of page 2)

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

Open and handle receptacle with care.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Condition of the tanks and stockrooms is to be co-ordinated with the responsible authorities. Keep receptacles tightly sealed.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

### 102-71-6 2,2',2"-nitrilotriethanol

MAK (Germany) Long-term value: 5E mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection:

For good ventilation provide, this can be achieved by local or space exhaust. If the concentration lies over the job limit values, then, a certified respirator suitable for this purpose must be used.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

(Contd. on page 4)

Printing date **01.08.2023** Revision: 01.08.2023

Trade name: MR® 158-R Magnetic powder concentrate fluorescent, 1:50, water suspendable

With danger of the eye contact closing eye protector. • **Body protection:** Protective work clothing

(Contd. of page 3)

Physical and chemical prope	erties
Information on basic physical and General Information Appearance:	chemical properties
Form:	Fluid
Colour:	Brown
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	9.1
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
Flash point:	120 °C
	Basis: active substance
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	305 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.04 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Partly miscible.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	28.0 %
Water:	54.3 %
Other information	No further relevant information available.

Printing date **01.08.2023** Revision: **01.08.2023** 

Trade name: MR® 158-R Magnetic powder concentrate

fluorescent, 1:50, water suspendable

(Contd. of page 4)

# 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1: weakly water-endangering

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

After arrangement with the local water authority the product In the application concentration (2-4 %) can to be discharged into drains, as far as it was not continued to contaminate by the user. Before separation of the pigment should be.

Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

Printing date **01.08.2023** Revision: **01.08.2023** 

Trade name: MR® 158-R Magnetic powder concentrate fluorescent, 1:50, water suspendable

· Waste disposal key:

(Contd. of page 5)

For this product no waste key number can be specified, because only the intended purpose permits an allocation. The waste key number is to be specified in arrangement with the regional waste disposal.

- European waste catalogue
- 15 01 02 plastic packaging
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	k II of Not applicable.
· UN "Model Regulation":	-

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class:

Water hazard class 1: slightly hazardous for water.(In accordance with classification VwVwS.appendix 4)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

The wording of the listed risk phrases are those of the individual raw materials.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

R36/38 Irritating to eyes and skin.

(Contd. on page 7)

Printing date 01.08.2023 Revision: 01.08.2023

Trade name: MR® 158-R Magnetic powder concentrate fluorescent, 1:50, water suspendable

(Contd. of page 6)

· Recommended restriction of use

Existing national and local laws concerning chemicals are to be considered.

- · Department issuing MSDS: 3AK Chemie Pvt. Ltd.
- · Contact: 3AK Chemie Pvt. Ltd., Safety data sheets, Email: qc@3akchemie.com
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· \* Data compared to the previous version altered.